

# SPRAYABLE TURF FUNGICIDES

PRODUCT	U/M	DESCRIPTION	RATE
<b>26/36</b>	2.5 gal.	Contains 19.5% iprodione and 19.5% thiophanate-methyl Preventative and curative broad spectrum fungicide. At a 2 oz. rate it delivers the equivalent amount of active ingredient as 2 oz. of Chipco GT and 1 oz. of Cleary's 3336. Controls Dollar Spot, Brown Patch, Anthracnose, Snow Mold and Leaf Spot.	2-4 oz./ 1000 sq. ft.
<b>26019 Flo</b>	2.5 gal.	Contains 23.3% iprodione. Superior broad spectrum control of many turf and ornamental diseases.	1.5-4 oz./ 1000 sq. ft.
<b>Armada</b>	3 oz. 12/case	Contains 41.67% triadimefon and 8.3% trifloxystrobin. The active ingredients in Compass and Bayleton for superior broad spectrum control of certain stem, foliar and root diseases of turfgrass and ornamentals.	0.6-1.2 oz./ 1000 sq. ft.
<b>Banner MAXX</b>	10 gal. Linkpack	Contains 14.3% propiconazole. A microencapsulated concentrate formulation, not an EC. No odor and stable for extended periods of time. Controls: Dollar Spot, Anthracnose, Brown Patch and more.	½ oz.-4 oz./ 1000 sq. ft.
<b>Banol</b>	1 gal. 2/case	Contains 66.5% propamocarb hydroxide. Systemic control of Pythium Blight and Phythophtora. For use on turf and ornamentals.	Preventative: 1 1/3 -4 oz. in 2-5 gallons water/ 1000 sq. ft.
<b>Bayleton Flo</b>	2.5 gal.	Contains 43% triademefon with 4.15 lb. AI/gal. SC formulation. Water-based suspension concentrate combines ease of handling and measuring and mixing, allowing uniform dispersion in spray tanks. New formulation provides effective preventative and curative effect disease control 'Green Industry' professionals trust. Also for ornamental plants.	Turf: 0.25-2 oz. /1000 sq. ft. Ornamentals: 5.5 oz. /275-500 gal.
<b>Briskway</b>	2 x 1 gal. case	Briskway™ fungicide combines a new DMI active ingredient called difenoconazole which is safe to use in the summer with azoxystrobin, the proven strobilurin active ingredient found in Heritage fungicide. The differing modes of action from azoxystrobin and difenoconazole perform in high temperatures reducing the risk of harmful side effects.	0.3, 0.5 and 0.725 fl.oz./1000 sq. ft.
<b>Chipco 26 GT Flowable</b>	2.5 gal.	Contains 23.3% iprodione. Controls Dollar Spot, Brown Patch, Leaf Spot, Fusarium, Gray and Pink Snow Mold.	3-8 oz. /1000 sq. ft.
<b>Civitas</b>	5 gal	Contains 98% mineral oil. Unique fungicide that controls disease and activates plants natural immune responses. Controls Anthracnose, DS, and other troublesome diseases. Suppresses numerous insects (Sod Webworm, ABW, and Cutworm). No risk of resistance, virtually non-toxic, readily bio-degradable. Reduced risk to applicators and golfers.	Typical Rates Civitas 8-14.5 oz./1000 sqft Harmonizer .75- 1.4 oz./1000 sqft
<b>Compass</b>	1 lb. 20 x 8 oz. MiniDrum	Contains 50% trifloxystrobin. Control of a wide range of turf and ornamental pathogens. Highly effective in controlling spore germination. Arrests fungal growth at later stages of the disease cycle.	0.1-25 oz./ 1000 sq. ft.
<b>Concert II</b>	2.5 gal.	Contains 2.9% propiconazole (Banner AI) and 38.5% chlorothalonil (Daconil AI). Dual ingredient pre-mix controls most turf diseases, except Pythium.	1.5-8.5 oz. per 1000 sq. ft.
<b>Curalan</b>	2.75lbs 10X 2.75 KEG	Contains 50% Vinclozolin. Offers economical, effective dollar spot control in cool- and warm-season turfgrasses. Curalan also controls eight other diseases including brown patch, leaf spot, red thread and melting out.	1.0 oz./1000 sq. ft. 2.75 lbs per acre
<b>Daconil Ultrex</b>	5 lbs. 4/case	Contains 82.5% chlorothalonil. Contains water dispersible granules that are effective in programs that attempt to minimize disease resistance in fungicides. Has a multi-site mode of fungicidal action.	Preventative: 5-10 lbs./ acre Curative: 10-20 lbs./acre.
<b>Daconil Weatherstik</b>	2.5 gal.	Contains 54% chlorothalonil. 6.0 lbs. AI chlorothalonil flowable fungicide with a large broad-spectrum of control. The WEATHER STIK guarantees the product will stick to the plant and stay between sprays.	Preventative: Greens - 2 ½-5 ½ oz./1000 sq. ft. Fairways - check label.
<b>Daconil Zn</b>	2.5 gal.	Contains 38.5% chlorothalonil and Zinc Liquid formulation with. 4.17 lb. AI applied at the rates of 3-6 oz. per 1000 sq. ft. on greens.	Preventative: 3-8 lbs./acre

Always Read Label and Follow Label Instructions

# SPRAYABLE TURF FUNGICIDES

PRODUCT	U/M	DESCRIPTION	RATE
<b>Daconil Action</b>	2 x 2.5 gal. case	Contains 53.94% Chlorothalonil and 0.11% Acibenzolar. The unique properties of acibenzolar, combined with the trusted performance of Daconil, enhances disease control and improves turf quality. Acibenzolar provides a boost of pathogenesis-related proteins that activate the turf's natural defense mechanisms and help it combat stress resulting from environmental, mechanical and disease pressures.	1–5.4 oz./ 1000 sq. ft.
<b>Emerald</b>	0.49 lb. 10 /case	Contains 70% buscalid. A unique mode of action that delivers up to 28 days protection or use at lower rates with other fungicides to get broad-spectrum performance. Also controls Bentgrass Dead Spot.	0.13 oz.–0.18 oz./ 1000 sq. ft.
<b>Fathom</b>	2.5 gal.	Contains 14.3% propiconazole. A broad spectrum systemic that controls certain diseases in turf and ornamentals. Controls Gray Leaf Spot, Dollar Spot and other is turf. Powdery Mildews, Rusts and more in ornamentals.	0.5–4 oz./ 1000 sq. ft.
<b>Headway</b>	2 x 1 gal. case	Headway fungicide combines the power of the two active ingredients, found in Heritage and Banner MAXX II fungicides, to deliver broad-spectrum disease control against dollar spot, brown patch, and other major turf diseases	0.75–5.5 oz./ 1000 sq. ft.
<b>Heritage</b>	1 lb. 6/case  6 lb. 4/case	Contains 50% azoxystrobin. Provides excellent systemic control of a wide range of turf diseases including Brown Patch, Anthracnose, Summer Patch and Take-All-Patch. Use preventively prior to infection for best control. 1 application provides up to 28 days of control.	0.2–0.4 oz./ 1000 sq. ft.
<b>Heritage TL</b>	10 gal. Linkpak	Contains 8.8% azoxystrobin. Superior formulation with finer mill of the active ingredient helps with distribution of the active ingredient across the plant. Expect superior efficacy with this new improved formulation.	1–2 oz./ 1000 sq. ft. Up to 3.5 oz./ 1000 sq. ft.
<b>Honor Intrinsic</b>	3 lb.	Honor® Intrinsic™ brand fungicide is a combination of pyraclostrobin, the active ingredient in Insignia® fungicide, and boscalid, the active ingredient in Emerald® fungicide. This new pre-mix provides two modes of action and delivers unsurpassed control of the top diseases that superintendents battle such as dollar spot, fairy ring, anthracnose, patch diseases (brown, take-all, and summer), leaf spots and many others.	.55–1.1 oz./ 1000 sq. ft.
<b>Insignia Intrinsic</b>	122 oz.	In addition to disease control, Insignia SC Intrinsic brand fungicide also offers plant health benefits. Research shows turf treated with Insignia SC Intrinsic brand fungicide provides improved plant health in the form of stress management. This includes drought/moisture, temperature extremes and mechanical stress such as aeration.	0.4–0.7 oz./ 1000 sq. ft.
<b>Instrata</b>	2.5 gal.	Combines 29.9% chlorothalonil, 1.2% fludioxonil and 4.7% propiconazole for exceptional control throughout the Snow Mold season as well as Anthracnose, Brown Patch, Dollar Spot and Summer Patch.	2.75–11 oz./ 1000 sq. ft.
<b>Interface</b>	2.5 gal.	Contains 23.1% Iprodione (Chipco 26GT) and 1.44% Trifloxystrobin (Compass) along with Bayer's StressGard Formulation technology	3–7 oz. / 1000 sq. ft.
<b>MainSail 6 F</b>	2.5 gal.	Contains 54% chlorothalonil and a surfactant in a flowable formulation. Controls Anthracnose, Brown Patch, Dollar Spot, Gray Leaf Spot, Gray Snow Mold and others.	Preventative: 2.5–5.5 oz./ 1000 sq. ft.
<b>MainSail WDG</b>	5 lb.	Contains 82.5% chlorothalonil. The same control as MainSail 6.0 but in a dry flowable formulation with a surfactant. See label.	Preventative: 1.8–5 oz./ 1000 sq. ft. Curative: 3.7–5 oz./ 1000 sq. ft.
<b>Medallion</b>	1 oz. 8/case  5 oz. 16/case	Contains 50% fludioxonil. Controls Anthracnose, Bentgrass Deadspot, Brown Patch, Summer Patch, Yellow Patch and more.	0.02–0.5 oz./ 1000 sq. ft.
<b>Pentathlon LF</b>	2.5 gal.	Contains 28.7% mancozeb. For turf and ornamental diseases including: Dollar Spot, Pink Snow Mold, Phythium and more. Also controls algae.	5-14 oz./ 1000 sq. ft. See label for details.
<b>Renown</b>	2.5 gal.	Contains 45.0% Chlorothalonil (Daconil) and 3% Azoxystrobin (Heritage). Value priced for the control of brown patch, gray leaf spot, dollar spot, large patch, leaf spot and anthracnose.	2.5–4.5 oz / 1000 sq. ft.

# SPRAYABLE & GRANULAR TURF FUNGICIDES

PRODUCT	U/M	DESCRIPTION	RATE
<b>SPRAYABLE TURF FUNGICIDES</b>			
<b>Secure</b>	0.5 gal. 2.5 gal.	Contains 40% fluazinam. The only registered fungicide for turf in FRAC group 29. It has no known resistance and as a multi-site contact, it has a low risk of future resistance. Secure provides superior protection against dollar spot and also controls 10 additional turf diseases. It even controls dollar spot that is resistant to other chemistries.	0.5 oz./1000 sq. ft.
<b>Segway</b>	39.2 oz.	Contains 34.5% cyamofazid. Controls Pythium and Pythium Root Dysfunction (PRD) via a new mode of action.	Turf: 0.45–0.90 oz. /1000 sq. ft. Ornamental: 1.5–6 oz./100 gal
<b>Signature</b>	5.5 lb. 4/case	Contains 80% aluminum tris. Controls pythium blight in turf; growth enhancement capabilities exist through the reaction of nutrient metals and the root environment.	4–8 oz./1000 sq. ft. See label.
<b>Subdue MAXX</b>	1 gal. 10 gal. Linkpak	Contains 21.3% mefenoxam. A micro-emulsion concentrate (MC) formulation of SUBDUE that requires half the rate as the original product. Fine particle size for superior coverage. Less corrosive to equipment.	Turf: 0.5–1 oz./1000 sq. ft. Ornamental: 0.63–2 oz./100 gal.
<b>Stellar</b>	104 oz.	Contains fluopicolide and propamocarb. Controls Pythium in cool season turf for 14 - 21 days. 5.7 2SC formulation.	1.2 oz./1000 sq. ft. 52 oz./acre
<b>Tartan</b>	2.5 gal.	Contains 20.86% triadimefon and 4.17% trifloxystrabin + Stressgard A pre-pack of Bayleton and Compass. Broad spectrum turf disease control.	1–2 oz. /1000 sq. ft.
<b>Terrazole</b>	6 x 2 lb.	Contains 35% etridizole. Prevents and controls Pythium and Phytophthora species (damping off, root/stem rot) in turf and ornamentals.	2–4 oz. / 2.5 gal. water/1000 sq. ft.
<b>Tourney</b>	5 lb.	Contains 50% metconazole. Controls Anthracnose, Brown Patch, Dollar Spot and more for 14–21 days. The most active DMI on the market.	0.28–0.37 oz. /1000 sq. ft. 12–16 oz./acre
<b>Transom 4.5F</b>	2.5 gal.	Contains thiophanate-methyl (46.2%–4.5F, 50%–50WSB). Broad spectrum control of woody ornamental and herbaceous perennial diseases including, An., DS, SP and others Replaces Systec 1998.	Turf: oz./1000 4F: 3.5–5.33 oz. 50 WSB: 2–6 oz.
<b>Transom 50 WSB</b>	6 (4 x 8 oz.)		
<b>Trinity</b>	2 x 2.5 gal. case	Contains 19.2% triticonazole. Trinity is one of the best SI (DMI) fungicides for the control of summer patch and anthracnose. Other university trials also prove the effectiveness of Trinity on a number of key turf diseases.	0.50–2 oz./1000 sq. ft.
<b>Triton FLO</b>	1 gal.	Contains: 30.1 % triticonazol. Systemic and residual control of major turf diseases (AN, PB, and DS. Lowest DMI use rates on the market.	0.28–1.1 fl. oz./ 1000 sq. ft.
<b>Triton 70 WDG</b>	2 lbs.	Contains: 70% triticonazol. Water dispersible granule. Broad spectrum, systemic and residual disease control of key turf diseases: AN, BP and DS.	0.28–1.1 fl. oz./ 1000 sq. ft.
<b>GRANULAR TURF FUNGICIDES</b>			
PRODUCT	U/M	DESCRIPTION	RATE
<b>Eagle .62G</b>	25 lb.	Contains 0.62% myclobutanil. A systemic granular formulation providing preventative and curative disease control on turf including BP, DS, & GL.	2.5–5 lb/ 1000 sq. ft.
<b>Headway G</b>	30 lb.	Headway G fungicide combines the power of the two active ingredients, found in Heritage and Banner Maxx II fungicides, to deliver broad-spectrum disease control against dollar spot, brown patch, and other major turf diseases	2–5.5 lbs./ 1000 sq. ft.
<b>Heritage G</b>	30 lb.	Contains 0.31 azoxystrobin. DG-Lite™, granular systemic strobilurin that controls 21+ diseases during a 28-day window including BP, RT, Pythium, An., GLS, Snow Mold, TAP, SP and NRS	2–4 lb./ 1000 sq. ft.
<b>Subdue GR</b>	25 lb.	Contains 1% mefenoxam. Preventive systemic fungicide for turf and ornamental diseases. Excellent for Pythium and Phytophthora Root Rot.	Turf: 5–25 oz./1000 sq. ft. Ornamental: 26 –125 oz./100 gal.



Always Read Label and Follow Label Instructions